revised 3 November 2016 version 23 May 2018 replaces version printed

5.2 5.1

Technical Safety Information

following the format of the Safety Data Sheet according to 1907/2006/EC (REACh), Annex II

1. Identification of the substance/mixture and the company/undertaking

1.1 **Product Identifier**

Trade name

D263® bio

General name Inorganic Glass CAS-number 65997-17-3 EC-number 266-046-0

Notation "glass, oxide, chemicals"

REACH-Registration This glass is not subject to registration.

1.2 Relevant identified uses of the substance or mixture and uses advised against

identified uses:

Industrial and professional use:

Primary material for production of optical or mechanical components by processing as hotforming, sawing, grinding, polishing, coating as well as by heat treatment up to working point.

1.3 Details of the supplier of the Technical Safety Information

Manufacturer / Supplier SCHOTT / Advanced Optics

Contact for technical information Dr. Kristian Eichgrün

Quality Management Advanced Optics

Phone / Fax +49 61 31 / 66 21 55 / +49 36 41 / 28 88 90 54

e-mail ehs-compliance.ao@schott.com

+49 61 31 / 66 2393 (Mon to Fri, 7 am to 4 pm CET) 1.4 Emergency telephone no.

Hazards identification

Classification of the substance or mixture

Inorganic glass is not classified as dangerous.

2.2 Label elements No labeling required.

2.3 Other hazards Glass is not dangerous at normal usage.

Processing of glass, damage or breakage can result in sharp

edges. This may cause cuts.

Processing of glass can result in glass dust.

Acute effects: Respiratory irritation.

Chronic effects: Possible pneumoconiosis effects.

Grinding debris and other waste of glass must be disposed

consistent with applicable regulations.



revised 3 November 2016 version

23 May 2018 replaces version printed

5.2

5.1

Composition/information on ingredients 3.

3.1 Substances

As the substance glass is not included in the candidate list of substances of very high concern, currently there are no information duties according to article 33 of REACH. However for the production of glass we may use substances, which are on the candidate list and had been included in Annex XIV of the REACH regulation or could be included in future. These powdery substances are not present as such in the final glass; they are fully integrated into the glass matrix through the melting process. Thus they loose their original characteristics.

The main components are listed as additional information in chapter 16.

For more information please refer to ehs-compliance.ao@schott.com.

3.2 **Mixtures**

Glass is classified as substance acc. to regulation (EC) No 987/2008 (amending of Reach-Reg.).

First aid measures 4.

4.1 Description of first aid measures

General information Glass is no hazardous substance. The following information

refer to glass dust and glass splinter which may result from

processing or breakage.

After inhalation Supply fresh air; consult doctor in case of complaints

After skin contact Normally not dangerous.

Consult doctor in case of complaints.

Rinse under running water. After eye contact

Consult doctor in case of complaints.

After swallowing Consult doctor

4.2 Most important symptoms and effects, both acute and delayed

none known

4.3 Indication of immediate medical attention and special treatment needed

5. Fire fighting measures 5.1 **Extinguishing media** no requirements 5.2 none. Glass is noncombustible. Special hazards arising from the substance or mixture 5.3 Advice for firefighters none 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

none

6.2 **Environmental Precautions** none

6.3 Methods and material for containment and cleaning up none

Reference to other sections 6.4 none

revised 3 November 2016 version

23 May 2018 replaces version printed

5.2 5.1

Handling and storage

Precautions for safe handling

Avoid breakage because of injury risk by sharp edges.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry environment. Avoid excessive humidity.

7.3 Specific end use(s) see section 1.2

Exposure controls / personal protection 8.

8.1 **Control parameters**

In case of dust formation, declaration for FUSED SILICA, CAS-No: 60676-86-0

TRGS 900 - GERMAN OCCUPATIONAL EXPOSURE LIMIT VALUES (01/2006) Regulation Value (EXPOSURE LIMIT VALUE) with reference to the respirable fraction. $0.3 \text{ mg} / \text{m}^3$

no information peak limit

teratogenic There is no reason to fear a risk of damage to the developing embryo

or foetus when limit value is adhered to

8.2 **Exposure controls**

Technical measures and appropriate work processes have higher priority than personal protective equipment. Provide adequate ventilation by local exhaust ventilation or ventilation in general.

Adequate assessment tools for verification of effectivity of the protective measures includes methods of measurements as described in "Technischen Regeln for Gefahrstoffe (TRGS) 402.

Technical measure: wet grinding/processing, avoid dust Respiratory Protection

formation.

If glass dust or particulates are above the national exposure limits use a national approved respirator for dust and fibers.


Hand Protection Use protective gloves and safety wristbands for protection

against cut injuries.

Eye Protection Use industrial safety glasses that meet national standards.

Personnel Protection Use safety skirting for protection from sharp edges.

Wear safety shoes.



revised 3 November 2016 version

printed 23 May 2018 replaces version

5.2 5.1

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid

Colour transparent or coloured

OdourodourlesspH-valuenot applicableBoilling point/boilling rangenot applicable

Melting point/melting range 557 °C

Transformation temperature according to ISO 7884-8

Flashpoint not combustible

Combustibility not combustible

Ignition temperaturenoneAuto flammabilitynoneDanger of explosionnoneExplosive limits upper / lowernoneOxidizing characteristicsnone

Vapour pressurenot applicableDensity (20 °C)2,51 g/ccmWater solubilitynot applicableFat solubilitynot applicablen-octanol-water partition coefficientnot applicable

Other information none

9.2 Other information none

10. Stability and Reactivity

10.1 Reactivity

Glass is a stable material. Glass is inert to many chemicals, but may react to hot, strong alkaline solutions and with hydrofluoric, fluorosilicic and phosphoric acids. When heated to temperatures above the melting point, metal oxide fumes may be emitted.

Glass is an amorphous, inorganic, usually transparent or translucent substance consisting of a mixture of silicates or sometimes borates or phosphates as glass formers. With additions of modifiers a melt is produced at high temperatures, that cools to a solid state without crystallization.

10.2 Chemical stability

Glass is stable at normal environmental conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions at intended use.

10.4 Conditions to avoid see section 10.1

10.5 Incompatible materials see section 10.1

10.6 Hazardous decomposition products see section 10.1

SCHOTT

product D263® bio

revised 3 November 2016 version printed 23 May 2018 replaces version

5.2 5.1

11. <u>Toxicological information</u>

11.1 Information on toxicological effects

Toxicological data are not available.

12. Ecological information

12.1	Toxicity	unknown
12.2	Persistence and degradability	unknown
12.3	Bioaccumulative potential	unknown
12.4	Mobility in soil	unknown
12.5	Results of PBT and vPvB assessment	unknown
12.6	Other adverse effects	unknown

13. Disposal considerations

13.1 Waste treatment methods Disposal according to local regulations

14. Transport information

14.1	UN Number	no requirements	
14.2	UN Proper Shipping Name	no requirements	
14.3	Transport hazard class(es)	no requirements	
14.4	Packing group	no requirements	
14.5	Environmental hazards	no requirements	
14.6	Special precautions for user	see sections 6 to 8	
14.7	Transport in bulk according to Annex II of MARPOL73/78	7/78 and the IBC Code	
		no requirements	

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Under REACH glass is classified as a "Substance". According to Appendix V

Number 11 of the REACh regulation glass is exempted from registration if specified conditions are met. SCHOTT AG, Advanced Optics has examined this

conditions for its products.

This glass is not subject to registration.

RoHS This glass does not contain - according to our knowledge - materials in

concentrations, whose placing on the market is forbidden in accordance to the

current requirements of the European Directive 2011/65/EU.

United Nations Globally Harmonized System (UN-GHS) related to safety information.

This information considers also the requirements of the UN-GHS related to safety information.

5.1

Technical Safety Information following the format of the Safety Data Sheet according to 1907/2006/EC (REACh), Annex II

15.2 **Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out.

<u>16.</u> **Other information**

16.1 Composition of mixture according to raw materials, based on the oxides.

	proportion	SVHC (REACH)	кед.	OSHA	ACGIH	Carc.
CAS-No	of weigth (%)	(Y/N)	(Y/N)	PEL	TLV	(Y/N)
1344-28-1	1 - 10	No	Yes	15 mg/m ³	10 mg/m ³	No
1303-86-2	1 - 10	Yes	Yes	15 mg/m ³	10 mg/m ³	No
12136-45-7	1 - 10	No	No	N/A	N/A	No
1313-59-3	1 - 10	No	No	N/A	N/A	No
1309-64-4	< 1	No	Yes	0.5 mg/m ³	0.5 mg/m ³	Yes
14808-60-7	60 - 70	No	Yes	0.1 mg/m ³	0.025 mg/m^3	No
13463-67-7	1 - 10	No	Yes	15 mg/m ³	10 mg/m ³	No
1314-13-2	1 - 10	No	Yes	5 mg/m³ (fume)	2 mg/m³ (R dust)	No
	1344-28-1 1303-86-2 12136-45-7 1313-59-3 1309-64-4 14808-60-7 13463-67-7	CAS-No of weigth (%) 1344-28-1 1 - 10 1303-86-2 1 - 10 12136-45-7 1 - 10 1313-59-3 1 - 10 1309-64-4 < 1	CAS-No of weigth (%) (Y/N) 1344-28-1 1 - 10 No 1303-86-2 1 - 10 Yes 12136-45-7 1 - 10 No 1313-59-3 1 - 10 No 1309-64-4 < 1	CAS-No of weigth (%) (Y/N) (Y/N) 1344-28-1 1 - 10 No Yes 1303-86-2 1 - 10 Yes Yes 12136-45-7 1 - 10 No No 1313-59-3 1 - 10 No No 1309-64-4 < 1	CAS-No of weigth (%) (Y/N) (Y/N) PEL 1344-28-1 1 - 10 No Yes 15 mg/m³ 1303-86-2 1 - 10 Yes Yes 15 mg/m³ 12136-45-7 1 - 10 No No N/A 1313-59-3 1 - 10 No No N/A 1309-64-4 < 1	CAS-No of weigth (%) (Y/N) (Y/N) PEL TLV 1344-28-1 1 - 10 No Yes 15 mg/m³ 10 mg/m³ 1303-86-2 1 - 10 Yes Yes 15 mg/m³ 10 mg/m³ 12136-45-7 1 - 10 No No N/A N/A 1313-59-3 1 - 10 No No N/A N/A 1309-64-4 < 1

The classification and limiting values are valid for the raw materials, see section 3. Glass is not a substance of very high concern (SVHC).

Explanations to the data in the table

SVHC(REACH)	The raw material is listed in the candidate list of the substances of very high concern
Reg.	Regulated chemical substance per list OSHA Regulations (Standards - 29 CFR) Subpart 1910.1000 Tables Z1 to Z3 Limits for Air Contaminants
OSHA / PEL	Permissible exposure limit – for chemical materials, issued by the OSHA
ACGIH / TLV	Threshold limit value - chemical substances classification by the ACGIH
OSHA	Occupational Safety and Health Administration, an organization of the US. Department of Labor (www.osha.gov).
ACGIH	American Conference of Governmental Industrial Hygienists (ACGIH), an member-based organization that advances occupational and environmental health.
Carc.	Chemical substance classified as carcinogen

revised 3 November 2016 version printed

5.2 23 May 2018 replaces version 5.1

16.2 **Disclaimer** This information is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist.

16.3 Changes Changes against the previous version are marked at the right-hand margin. The

number of the new version is indicated.

Changes in version 5.2

Section 16.1 CAS-No Fluorine revised (effect on fluoride-containing glasses only)

Changes in version 5.1

CAS-No WO₃ revised (effect on WO₃-containing glasses only) Section 16.1

Changes in version 5

Section 1.4 Update

Changes in version 4.1

Section 16.1: Update

Changes in version 4

Section 1 and 15: REACh-Information updated Section 1: e-mail address updated

Section15: United Nations Globally Harmonized System - Info added.

Changes in version 3.0

Section 15.1: Now referring to recast of RoHS directive 2011/65/EU.

Changes in version 2.0

The Safety Data Sheet was adapted according to the requirements of regulation (EC) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 (REACH-Regulation) with regard to Annex II. Most adaptions are editorial amendments. They are not marked at the margin.

Changes of content:

Section 8.1: Exposure Limit Value for dust added.

Section 15.1: Note regarding review added.

Section 16.1: PEL und TLV of US-Organizations added.